




Qingdao Hurui Textile Machinery Manufacturing Co., Ltd

GERON



Contact: Betty

Whatsapp: +86 18853407902

E-mail: betty@qdhurui.com


Qingdao Hurui Textile Machinery Manufacturing Co., Ltd

Various metal card clothing models and specifications (as follows)

锡林针布Cylinder

型号 Specification						系列 Series	适用 Application
AC1740×01740	1.7	40	1.7	0.4	950	●	
AC1740G×01740	1.7	40	1.7	0.4	1008	●	
AC2040×01740	2.0	40	1.7	0.4	950	●	
AC2040T×01740	2.0	40	1.7	0.4	950	●	T型齿
AC2040N×01740	2.0	40	1.7	0.4	950	●	皮马棉专用
AC2040×01750-II	2.0	40	1.7	0.5		●	双齿
AC2040B×01850	2.0	40	1.8	0.5		●	双峰
AC2040B×01840	2.0	40	1.8	0.4		●	双峰
AC2040×01550	2.0	40	1.5	0.5	860	●	
AC2040×01740-I	2.0	40	1.7	0.4	950	●	
AC2035×01740	2.0	35	1.7	0.4	950	● ●	
AC2030×01740	2.0	30	1.7	0.4	950	● ●	
AC2030×01550	2.0	30	1.5	0.5	860	● ●	
AC2525×01550	2.5	25	1.5	0.5	860	● ● ●	
AC2820×01365	2.8	20	1.3	0.65	764	● ●	
AC2820×01565	2.8	20	1.5	0.65	662	● ●	
AC2825×01365	2.8	25	1.3	0.65	764	● ●	
AC2825×01560	2.8	25	1.5	0.6	537	● ●	
AC3015×01580	3.0	15	1.5	0.8	537	● ●	
AC3215×01380	3.2	15	1.3	0.8	620	● ●	







道夫针布 Doffer

型号 Specification						系列 Series			适用 Application
									
AD4030BR4×01990	4.0	30	1.9	0.9	377	●			
AD4030BR×02090	4.0	30	2.0	0.9	358	●	●		
AD4030×01890	4.0	30	1.8	0.9	398	●	●	●	
AD4030×02090	4.0	30	2.0	0.9	358	●	●	●	
AD4030BR4×02090-1	4.0	30	2.0	0.9	358	●	●		
AD4030B×02090	4.0	30	2.0	0.9	358	●	●		
AD4530BR×02090	4.5	30	2.0	0.9	358	●	●		
AD5030R4×02110	5.0	30	2.1	1.0	307	●	●		
AD5030BR×02110	5.0	30	2.1	1.0	307	●	●		
AD5030R4×02190	5.0	30	2.1	0.9	341	●	●		








道夫针布 Doffer

型号 Specification						系列 Series			适用 Application
									
AD4030BR4×01990	4.0	30	1.9	0.9	377	●			
AD4030BR×02090	4.0	30	2.0	0.9	358	●	●		
AD4030×01890	4.0	30	1.8	0.9	398	●	●	●	
AD4030×02090	4.0	30	2.0	0.9	358	●	●	●	
AD4030BR4×02090-1	4.0	30	2.0	0.9	358	●	●		
AD4030B×02090	4.0	30	2.0	0.9	358	●	●		
AD4530BR×02090	4.5	30	2.0	0.9	358	●	●		
AD5030R4×02110	5.0	30	2.1	1.0	307	●	●		
AD5030BR×02110	5.0	30	2.1	1.0	307	●	●		
AD5030R4×02190	5.0	30	2.1	0.9	341	●	●		

盖板针布 Flat top






型号 Specification				系列 Series			使用范围 Scope of application
							
MCBH58	7.5	70	580	●			
MCBH55	8.0	70	550	●			
MCBH50	8.0	70	500	●	●		
MCH55	7.5	70	550	●			
MCH52-A	8.0	72	520	●			
MCH52/N	7.5	70	520	●			皮马棉专用

罗拉齿条 Roller

型号 Specification	    					系列 Series			适用 Application
	  								
AR2500×02820	2.5	0	2.8	2.0		●			
AR3000×03930V	3.0	0	3.9	3.0		●		通用	
AR3500×03930	3.5	0	3.9	3.0		●			
AR55-10×05442V	5.5	-10	5.4	4.2	28	●		喂棉箱, 纯棉	
AT55-45×07540V	5.5	-45	7.5	4.0	21	●		喂棉箱, 化纤	
AS40-28×03418	4.0	-28	3.4	1.8		●		通用	
AS45-35×04220	4.5	-35	4.2	2.0		●		四罗拉剥棉辊	
AS40-30×03010	4.0	-30	3.0	1.0		●		三罗拉剥棉辊	
AT6020×06332V	6.0	20	6.3	3.2		●		FA109-0611 20° 锯条	
AT7510×15042V	7.5	10	15.0	4.2		●		FA109-0511 10° 锯条	
AR3500×03930	3.5	0	3.9	3.0		●		FA109-0351 给棉罗拉锯条	
AR5515×05842V	5.5	15	5.8	4.2		●		FA177-0608 给棉罗拉锯条	
AT4200×13525V	4.2	0	13.5	2.5		●		FA116 给棉罗拉锯条	
AT4025×05625V	4.0	25	5.6	2.5		●		FA116 快速辊	
AT5925×09030V	5.9	25	9.0	3.0		●		FA116 慢速辊	
AT1010×10025	10	10	10	2.5		●		FA111给棉罗拉	








Qingdao Hurui Textile Machinery Manufacturing Co., Ltd

Name	Wire type	 Height	 Angle	 Pitch	 Rib	 PPSI	Application
Doffer	GD4235 x 02512	4.20	35	2.50	1.20	212	Suitable for the many Kinds of Nonwoven Cards The users may choose according to the needs
	GD4335 x 02110	4.30	35	2.10	1.00	307	
	GD4335 x 03211	4.30	35	3.20	1.10	183	
	GD4335 x 02112	4.30	35	2.10	1.20	256	
	GD4530 x 02110	4.50	30	2.10	1.00	307	
	GD4740 x 02510	4.70	40	2.50	1.00	258	
Feed-in Licker-in Taker-in	GT5915 x 05611	5.90	15	5.60	1.10		Suitable for the JM Nonwoven Cards
	GT6020 x 07315	6.00	20	7.30	1.50		
	GT6030 x 06415	6.00	30	6.40	1.50		
	GT6015 x 08517	6.00	15	8.50	1.70		
	GT60-27 x 08517	6.00	-27	8.50	1.70		
	GT1105 x 01220	11.00	5	12.70	2.00		R071
	GT1115 x 01020	11.00	15	10.00	2.00		R072
GT1005 x 01222	10.00	5	12.70	2.20			
Worker roller	GW4235 x 02512	4.20	35	2.50	1.20	215	Suitable for the JM Nonwoven Cards
	GW4325 x 02112	4.30	25	2.10	1.20	256	
	GW4335 x 02110	4.30	35	2.10	1.00	307	
	GW4525 x 01810	4.50	25	1.80	1.00	354	
	GW4525 x 02110	4.50	25	2.10	1.00	307	
	GW4525 x 02510	4.50	25	2.50	1.00	254	
	GW4740 x 02510	4.70	40	2.50	1.00	258	
Stripper	GR3325 x 03212	3.30	25	3.20	1.20	168	
	GR3325 x 03215	3.30	25	3.20	1.50	134	
	GR3630 x 03212	3.60	30	3.20	1.20	168	
	GR4225 x 04212	4.20	25	4.20	1.20	128	
	GR45-35 x 04215	4.50	-35	4.20	1.50	102	
Random roller	GD5035 x 02810	5.00	35	2.80	1.00	229	Suitable for the many Kinds of Nonwoven Cards The users may choose according to the needs
	GD5035 x 02812	5.00	35	2.80	1.20	191	
	GD5040 x 03610	5.00	40	3.60	1.00	179	
	GD5040 x 03612	5.00	40	3.60	1.20	149	
	GD5040 x 05115	5.00	40	5.10	1.50	84	
	GD5540 x 04013	5.50	40	4.00	1.30	124	





Qingdao Hurui Textile Machinery Manufacturing Co., Ltd

Name	Wire type	 Height	 Angle	 Pitch	 Rib	 PPSI	Application
Doffer	GD4235 x 02512	4.20	35	2.50	1.20	212	Suitable for the many Kinds of Nonwoven Cards The users may choose according to the needs
	GD4335 x 02110	4.30	35	2.10	1.00	307	
	GD4335 x 03211	4.30	35	3.20	1.10	183	
	GD4335 x 02112	4.30	35	2.10	1.20	256	
	GD4530 x 02110	4.50	30	2.10	1.00	307	
	GD4740 x 02510	4.70	40	2.50	1.00	258	
Feed-in Licker-in Taker-in	GT5915 x 05611	5.90	15	5.60	1.10		Suitable for the JM Nonwoven Cards
	GT6020 x 07315	6.00	20	7.30	1.50		
	GT6030 x 06415	6.00	30	6.40	1.50		
	GT6015 x 08517	6.00	15	8.50	1.70		
	GT60-27 x 08517	6.00	-27	8.50	1.70		
	GT1105 x 01220	11.00	5	12.70	2.00		R071
	GT1115 x 01020	11.00	15	10.00	2.00		R072
GT1005 x 01222	10.00	5	12.70	2.20			
Worker roller	GW4235 x 02512	4.20	35	2.50	1.20	215	Suitable for the JM Nonwoven Cards
	GW4325 x 02112	4.30	25	2.10	1.20	256	
	GW4335 x 02110	4.30	35	2.10	1.00	307	
	GW4525 x 01810	4.50	25	1.80	1.00	354	
	GW4525 x 02110	4.50	25	2.10	1.00	307	
	GW4525 x 02510	4.50	25	2.50	1.00	254	
	GW4740 x 02510	4.70	40	2.50	1.00	258	
Stripper	GR3325 x 03212	3.30	25	3.20	1.20	168	
	GR3325 x 03215	3.30	25	3.20	1.50	134	
	GR3630 x 03212	3.60	30	3.20	1.20	168	
	GR4225 x 04212	4.20	25	4.20	1.20	128	
	GR45-35 x 04215	4.50	-35	4.20	1.50	102	
Random roller	GD5035 x 02810	5.00	35	2.80	1.00	229	Suitable for the many Kinds of Nonwoven Cards The users may choose according to the needs
	GD5035 x 02812	5.00	35	2.80	1.20	191	
	GD5040 x 03610	5.00	40	3.60	1.00	179	
	GD5040 x 03612	5.00	40	3.60	1.20	149	
	GD5040 x 05115	5.00	40	5.10	1.50	84	
	GD5540 x 04013	5.50	40	4.00	1.30	124	

Qingdao Hurui Textile Machinery Manufacturing Co., Ltd

IRON CARD CLOTHING + SERVICE

Cylinder

	Height	Angle	Pitch	Rib	PPSI	Shape	Application
AC1740G×01740	1.7	40	1.7	0.4	949		COTTON
AC1740×01740	1.7	40	1.7	0.4	949		
AC2030×01550	2.0	30	1.5	0.5	860		
AC2030×01740	2.0	30	1.7	0.4	949		
AC2035×01550	2.0	35	1.5	0.5	860		
AC2035×01740	2.0	35	1.7	0.4	949		
AC2040×01550	2.0	40	1.5	0.5	860		
AC2040×01740	2.0	40	1.7	0.4	949		
AC2040T×01740	2.0	40	1.7	0.4	949		
AC2040B×01840	2.0	40	1.8	0.4	896		
AC2040×01750- II	2.0	40	1.7	0.5	1150		DOUBLE TEETH
AC2520×01850	2.5	20	1.8	0.5	717		MAN-MADE FIBRE
AC2520×01660	2.5	20	1.6	0.6	672		
AC2520×01570	2.5	20	1.5	0.7	615		
AC2525×01550	2.5	25	1.5	0.5	860		
AC2525×01740	2.5	25	1.7	0.4	950		
AC2025×01650	2.0	25	1.6	0.5	806		
AC1730×01550	1.7	30	1.5	0.5	860		

Doffer


Specification	Height	Angle	Pitch	Rib	PPSI	Shape
AD4030×01890	4.0	30	1.8	0.9	398	
AD4030BR4×02090	4.0	30	2.0	0.9	358	
AD4030BR×02090	4.0	30	2.0	0.9	358	
AD4530R×02110	4.5	30	2.1	1.0	307	
AD5030BR4×02190	5.0	30	2.1	0.9	341	

Lickerin

Specification	Height	Angle	Pitch	Rib	PPSI	Shape	Application
AT5610×05611	5.6	10	5.6	1.1	33		COTTON
AT5510×05612	5.5	10	5.6	1.2	33		
AT5610×04211	5.6	10	4.2	1.1	48		
AT5610×03611	5.6	10	3.6	1.1	56		
AT5010×05032V	5.0	10	5.0	3.2	40		
AT5010×04020V	5.0	10	4.0	2.0	50		
AT5010×02620V	5.0	10	2.6	2.0	124		MAN-MADE FIBRE
AT5605S×05611	5.6	5	5.6	1.1	33		
AT5505S×05612	5.5	5	5.6	1.2	33		
AT5005×05032V	5.0	5	5.0	3.2	40		TRIPLE LICKERIN 2ND
AT5020×02516V	5.0	20	2.5	1.6	161		TRIPLE LICKERIN 3RD
AT5020×02116V	5.0	20	2.1	1.6	192		



Qingdao Hurui Textile Machinery Manufacturing Co., Ltd



Contact: Betty

Whatsapp: +86 18853407902

E-mail: betty@qdhurui.com