

# YOUMO AQUAPURE - PRODUCTS LIST WITH PRICING

2024/1/1



Price in USD (USD/RMB 6.95), Ex-work Shenzhen, China

Ozone Therapy Device								
	Model Number	Product Pics	Product Description	Size and Weight	>2pcs	13-99 pcs	100-499 pcs	500-999
1	Ozone Therapy Device APSO0.2-D NP		<b>Ozone Therapy Device</b> Ozone concentration: 99mg/L Oxygen input: 1/32 ~ 1 LPM Available for Rectal therapy, Vagina Therapy, and ozone oil making Built-in: cooling fan, ozone module, LED indicators. With oxygen inlet connector & ozone outlet, with foot pads;connector: OD 5mm Input voltage: 100-240 V AC 50/60Hz	With stainless steel housing Size : 175 x 87 x 80 mm N.W. :1.2kg G.W. : 1.9 kgs package : 1pcs/box; 12 boxes/ctn accessories :adapter, silicon tube QTY/CTN: 12PCS CTN SIZE: 60 *48*31CM G.W /CTN: 22KG	108.83	96.97	91.57	86.15
1.2	Ozone Therapy Device A-MD-500		<b>Ozone Therapy Device</b> Ozone concentration: 12-93 mg/L at 1~1/32 L/min oxygen Available for Rectal therapy, Vagina Therapy, and ozone oil making Built-in: cooling fan, ozone module, LED indicators. With oxygen inlet connector & ozone outlet connector: OD 5mm with foot pads; Driving voltage:12 VDC (need 100-240 V AC 50/60Hz to 12V DC adaptor)	With stainless steel housing Size : 220*175*70mm	120.00	110.00	on request	on request
2.1	MINI Ozone Generator with Ozone Destructer MOZ0.2-AD		<b>MINI Ozone Generator with Ozone Destructer</b> Ozone concentration: 10 - 104mg/L Oxygen input: 1/32 ~ 1 lpm Available for Rectal therapy, Vagina Therapy, and ozone drinking water, etc Built-in: 3 levels ozone module, ozone destructors, LED indicators, cooling fan; with foot pads; Connectors: Luer lock ; Input voltage: 100-240 V AC 50/60Hz to 12V DC	With stainless steel housing painted in white Size : 191 * 118 * 82 mm N.W. :1.4kg G.W. : 1.6 kgs package : 1pcs/box; 12 boxes/ctn accessories :adapter; 3 way connector, luer connectors, silicon tubing QTY/CTN: 12PCS CTN SIZE: 60 *48*31CM G.W /CTN: 21KG	118.38	112.11	108.32	98.41
2.2	Ozone Generator with Ozone Destructer MOZ0.4-AD		<b>Ozone Therapy Machine with Ozone Destructer</b> Ozone concentration: 1 - 107mg/L Oxygen input: 1/32 ~ 1 lpm Built-in 4 levels Titanium ozone module Built-in ozone destructer Input voltage: 100-240 V AC 50/60Hz to 12V DC	With stainless steel housing painted in white Size : 191 * 118 * 82 mm N.W. :1.4kg G.W. : 1.6 kgs	125.00	115.00	112.00	on request
3.1	Ozone Therapy Machine with Ozone Destructer and sucking pump MOP0.4-AD		<b>Ozone Therapy Machine with Ozone Destructer and sucking pump</b> Oxygen input: 1/32 ~ 1 lpm Built-in 4 levels Titanium ozone module Built-in ozone destructer Built-in sucking pump Input voltage: 100-240 V AC 50/60Hz to 12V DC <b>exclusive rights for Uzbekistan</b>	With stainless steel housing painted in white Size : 251*198*89 mm N.W. :2 kg / G.W. : 2.35 kgs package : 1pcs/box; 8 boxes/ctn accessories :adapter; 3 way connector, luer connectors, silicon tubing, stone diffuser	139.00	124.73	117.80	on request
3.2	MINI Ozone Generator with Ozone Destructer A-MD-500A		<b>MINI Ozone Generator with Ozone Destructer and mini pump</b> Ozone concentration: 7 - 105mg/L Oxygen input: 1/16 ~ 2 lpm Available for Rectal therapy, Vagina Therapy, and ozone drinking water, etc Built-in: Titanium ozone module, ozone destructors, 3LPM sucking pump LED indicators, cooling fan, with foot pads; Connectors: Luer lock Input voltage: 100-240 V AC 50/60Hz to 12V DC	With stainless steel housing painted in white Size : 244*206*71 mm N.W. :2 kg G.W. 2.8 kgs package : 1pcs/box; 30*30*15 cm, QTY/CTN: 8PCS	150.00	135.00	on request	on request
4	Ozone Therapy Machine with Ozone Destructer, vacuum pump, foot switch MOA0.7-AD		<b>Ozone Therapy Machine with Ozone Destructer, sucking pump, foot switch port</b> Oxygen input: 1/32 ~ 1 lpm Built-in two ozone modules cord parts, giving 9 levels stable ozone output Built-in ozone destructer Built-in sucking pump Built-in foot switch (standard machine without foot pedal) Input voltage: 100-240 V AC 50/60Hz to 12V DC	With stainless steel housing painted in white Size : 251*198*89 mm N.W. :3.4 kg / G.W. : 4.5 kgs package : 1pcs/box; 6 boxes/ctn accessories :adapter; 3 way connector, luer connectors, silicon tubing	188.00	170.00	160.00	on request
4.1	foot pedal		<b>foot pedal for MOA0.7-AD</b>		10.00	10.00	10.00	on request
5	Ozone Therapy Machine with ozone concentration displayer MOD0.5-AD		<b>Ozone Therapy Machine with Ozone Destructer and ozone concentration displayer</b> Ozone concentration: 0 - 99mg/L Oxygen input: <2.5 lpm Built-in Titanium ozone module Built-in ozone destructer Built-in ozone concentration displayer and ozone adjusting knob Input voltage: 100-240 V AC 50/60Hz to 12V DC	With stainless steel housing painted in white Size : 250*160*90 mm N.W. :2 kg / G.W. : 2.35 kgs package : 1pcs/box; 8 boxes/ctn accessories :adapter; 3 way connector, luer connectors, silicon tubing, luer filter	386.00	368.00	298.00	on request
6	Double Quartz Walls Ozone Machine with Ozone Destructer MOP0.3-AD		<b>Double Quartz Electrode Ozone Generator For Medical Ozone</b> Oxygen input: 1/32 ~ 1 lpm Built-in double quartz electrode ozone cell Built-in ozone destructer Input voltage: 100-240 V AC 50/60Hz to 12V DC	With plastic housing Product Size: 228*176*80 mm package Size: 330 *230*150 mm Gross Weight: 1.5 kg carton box: 12pcs/carton	162.98	150.93	142.00	on request
7	Double Quartz Walls Ozone Machine with Ozone Destructer, vacuum pump MOA0.6-AD		<b>Double Quartz Electrode Ozone Generator For Medical Ozone</b> with VC meter, Ozone Destructer and Vacuum pump Oxygen input: 1/32 ~ 1.5 lpm Built-in double quartz electrode ozone cell Built-in ozone destructer Built-in vacuum pump Input voltage: 100-240 V AC 50/60Hz to 12V DC <b>exclusive rights for Uzbekistan</b>	With stainless steel housing painted in white Size : 290*221*100 mm N.W. :2.5 kg / G.W. : 3 kgs package : 1pcs/box; Package size 38*29*18 cm/box. 8 boxes/ctn accessories :adapter; 3 way connector, luer connectors, silicon tubing, stone diffuser	168.00	152.00	144.00	on request



# YOUMO AQUAPURE - PRODUCTS LIST WITH PRICING


2024/1/1

Price in USD (USD/RMB 6.95), Ex-work Shenzhen, China

	Model Number	Product Pics	Product Description	Size and Weight	>2pcs	13-99 pcs	100-499 pcs	500-999
1	Oxygen Concentrator 1 LPM OX1L-01		<b>Oxygen Concentrator</b> Available for ozone therapy oxygen flow: 0-1 LPM oxygen purity : 90% Oxygen flow meter: 0-1 LPM 110VAC 60Hz / 220VAC, 50Hz With 4 wheels at the bottom	Net weight: 6.5kg body size: 31*25*39cm inner carton box size:37*29*47 cm Outer carton box size: 38*31*50 cm Gross weight: 8.5kg	165.00	157.60	137.90	on request
2	Steam and Ozone Sauna Spa Capsule		<b>Steam and Ozone Sauna Spa Capsule</b> with stainless steel boil tank, water shower head, ozone generator (need to feed in oxygen source)	gross weight: 112kg wood case package: 148*80*139 cm	1081.00	989.00	on request	on request

## Portable Ozone Generator (All-In-One Design)




	Model Number	Product Pics	Product Description	Size and Weight	1-12 pcs	13-99 pcs	100-499 pcs	500-999
1	Small Ozone Generator APSO0.5-D		<b>Small Ozone Generator</b> Ozone output: 500 mg/H Available for air purification & water purification All-In-One design: with air pump, cooling fan, ozone module, LED indicators, With: ozone outlet connector: OD 5mm built for 24 hours running with wall mounting hook, handle and foot pads; Input voltage: 100-240 V AC 50/60Hz	With stainless steel housing Size : 175 x 87 x 80 mm N.W. : 1.2kg G.W. : 1.9 kgs package : 1pcs/box; 12 boxes/ctn accessories : bracket, screws, adapter; silicon tube & ozone diffuser (optional) QTY/CTN: 12PCS CTN SIZE: 60 *48*31CM	83.06	76.42	73.10	69.77
2	Small Ozone Generator APSO0.5T-D		<b>Small Ozone Generator with digital timer</b> Ozone output: 500 mg/H Available for air purification & water purification All-In-One design: with air pump, cooling fan, ozone module, digital countdown timer, LED indicators, With: ozone outlet connector: OD 5mm with handle and foot pads; Input voltage: 100-240 V AC 50/60Hz	G.W. : 2.1 kgs package : 1pcs/box; 12 boxes/ctn accessories : bracket, screws, adapter; silicon tube & ozone diffuser (optional) QTY/CTN: 12PCS CTN SIZE: 60 *48*31CM G.W /CTN: 25KG	115.00	101.95	95.57	ON request

	Model Number	Product Pics	Product Description	Size and Weight	1-12 pcs	13-99 pcs	100-499 pcs	500-999
3	Water/Air Purifier OZO.6AP5T-H		<b>Ozone Generator</b> Ozone output: 300- 600 mg/H Available for air purification & water purification with air pump, cooling fan, digital countdown timer With ozone outlet connector: OD 5mm <b>With portable handle</b> Pump output: 4.0~5.0 L/min Built for 24 hours running 220V AC, 50Hz	With stainless steel housing Size 360 x 170 x 96 mm N.W. : 2.82 kgs G.W. : 3.34 kgs	141.41	131.53	126.58	121.64
4	Water/Air Purifier OZ1.5AP7T-H		<b>Ozone Generator</b> Ozone output: 1000- 1500 mg/h Available for air purification & water purification with air pump, cooling fan, digital countdown timer With ozone outlet connector: OD 5mm <b>With portable handle</b> Pump output: 5.0~7.0 L/min Built for 24 hours running 220V AC, 50Hz	With stainless steel housing Size 360 x 170 x 96 mm N.W. : 3.1 kgs G.W. : 3.6 kgs	161.50	149.21	143.06	136.91
5	Water/Air Purifier APMO1.5-A		<b>Ozone Generator</b> Ozone output: 1000-1600 mg/h Available for air purification & water purification with air pump, cooling fan With ozone outlet connector:OD 5mm <b>With portable handle</b> Pump output: 7.0~8.0 L/min Built for 24 hours running <b>110/220V AC, 50/60Hz</b>	With stainless steel housing Size 284 x 139 x 172 mm N.W. : 3.5 kgs G.W. : 4.15 kgs carton box for 1pc: 340*190*270 mm	138.13	126.68	120.95	109.50
6	Water/Air ozone Purifier APMO1.4-D, strong wind flow		<b>Ozone Generator with digital timer</b> Ozone output: 1000-1600 mg/h Available for air purification & water purification with air pump, diffusing fan, multi-modes timer With ozone outlet connector:OD 5mm <b>With portable handle</b> Pump output: 13 L/min Available for non-stop working or cyclic working <b>100-240VAC INPUT, 12VDC running</b>		226.40	203.76	192.43	181.12

2022/10/1

Price in USD (USD/RMB 6.75), Ex-work Shenzhen, China

## Industrial Ozone Generator (All-In-One Design)

Pos.	Model Number	Product Pics	Product Description	Size and Weight	1-5 pcs	6-19 pcs	20-249 pcs	>245pcs
1	Ozone Generator OZ100C3-CM		<b>Ozone Generator</b> Ozone output: 4 - 10 g/H, adjustable Built-in oxygen concentrator Oxygen source: 3.0 L/min, 90% purity Ozone outlet connector: OD 5mm Wall-mounting design 220V AC; 50 or 60Hz	With stainless steel housing Size: 275 x 270 x 392 mm N.W. : 16.7 kgs G.W. : 19.5 kgs	780	750	on request	on request
2	Ozone Generator OZ180C5-LF		<b>Ozone Generator</b> Ozone output: 6- 18 g/h, adjustable Built-in oxygen concentrator with LCD display and LED indicators Oxygen source: 5.0 L/min, 90% purity Ozone outlet connector: OD 5mm with four wheels 220V AC, 50 or 60Hz	With stainless steel housing Size: 381 x 350 x 560 mm N.W. : 21.6 kgs G.W. : 47 kgs	1396	1373	on request	on request
3	Ozone Generator OZ280C8-LF		<b>Ozone Generator</b> Ozone output: 8- 28 g/h, adjustable Built-in oxygen concentrator with LCD display and LED indicators Oxygen source: 8.0 L/min, 90% purity Ozone outlet connector: OD 5mm with four wheels 220V AC, 50 or 60Hz	With stainless steel housing Size: 381 x 350 x 560 mm N.W. : 27.8 kgs G.W. : 48 kgs	1816	1796	on request	on request

YOUMO AQUAPURE

Addr: R506, Buiding #3, Jiuxiangling Industrial Park, Xili, Nanshan, Shenzhen, China, 518055  
 Tell: 0086-755-8655 0113

# YOUMO AQUAPURE - PRODUCTS LIST WITH PRICING

2024/1/1

Price in USD (USD/RMB 6.95), Ex-work Shenzhen, China

Automatically Regenerated Air Dryer								
	Model Number	Product Pics	Product Description	Size and Weight	1-9 pcs	10-99 pcs	100-499 pcs	>500pcs
1	Air Dryer ADRS6500		<b>Air Dryer</b> Output R.H. value :< 20% RH at 2L/min for first 5hours Silica gel beads 500ml Rechargeable by putting into microwave or oven Dry air outlet connector: ID 6 mm Wall mounted design <b>No need power</b>	with plastic housing Size : 291 x 60 x 60 mm N.W. : 0.56 kgs	11.86	9.49	8.30	7.34
2	Regenerated Air Dryer RADR2L10H		<b>Automatically Regenerated Air Dryer</b> Output R.H. value :< 20% RH at 2.0 L/min gas flow Continuously working time: up to 10 hours each time Automatically control Regeneration time: 2 hours; Dry air outlet connector: OD 5 mm Wall mounted design 110 V or 220 V AC, 50/60 Hz	with plastic housing Size : 470 x 170 x 300 mm N.W. : 2.2 kgs G.W. : 2.9 kgs package : 6pcs/ctn	142.30	132.48	123.65	121.40
Household Water Purifier								
	Model Number	Product Pics	Product Description	Size and Weight	1-12 pcs	13-99 pcs	100-999 pcs	>1000pcs
1.1	Household Tap Water Purifier WPI0.5-D		<b>Household Tap Water Purifier</b> <b>Automatic work way: deliver ozone water once the water tap is open</b> Ozone conc.(in water): 0.5-1.0 mg/L Water flow rate: 4-8L/min Wall-mounted design Accessories:power adaptor, silcion hose, universal water tap adaptor, ozone mixer, instruction manual Input Voltage:100 – 240 VAC Rated Power: 8W	With plastic housing Size: 223 x 163 x 55 mm N.W. : 0.79 kgs G.W. : 0.95 kgs QTY/CTN: 8pcs CTN size: 55*4*24	41.28	38.98	36.69	33.25
1.2	Ozontor for dog shower WPI0.5-DS		<b>Ozone shower kit for Dog Shower</b> <b>Automatic work way: deliver ozone water once the water tap is open</b> Ozone conc.(in water): 0.5-1.0 mg/L Water flow rate: 4-8L/min Wall-mounted design Accessories:power adaptor, silcion hose, venturi, non-return valve, 25cm water hose, 100cm water hose, shower head Input Voltage:100 – 240 VAC Rated Power: 8W	With plastic housing Size: 223 x 163 x 55 mm box size: 34*25*12 cm N.W. : 1.1 kgs G.W. : 1.35 kgs QTY/CTN: 8pcs	49.68	44.72	42.21	39.26
	Model Number	Product Pics	Product Description	Size and Weight	1-12 pcs	>13 pcs	>120pcs	>500pcs
2.1	Household Water Purifier WPOZ3.0-E (WPI1.0-D)		<b>Household Water Purifier</b> Ozone conc.(in water): 0.5-1.0mg/L Wall-mounted design Input Voltage: 100-240V AC, 50/60Hz Power: <36W	With plastic housing Size: 370*220*55 mm Net Weight 1.9 kgs Gross Weight 3.0 kgs package : 6pcs/ctn	125.00	119.00	112.50	105.90
2.12	Sprayer gun		<b>stainless steel shower gun</b> with 1/2" thread		12.48	12.48		
2.2	Household Water Purifier WPOZ1.0-E		<b>Household Water Purifier</b> Ozone conc.(in water): 0.5-1.0mg/L Wall-mounted design Input Voltage: 100-240V AC, 50/60Hz Power: <36W	With plastic housing Size: 367 x 277 x 89 mm Net Weight 1.9 kgs Gross Weight 3.3 kgs package : 6pcs/ctn	153.70	145.39	139.00	135.00
Household Air Purifier / CPAP cleaner								
	Model Number	Product Pics	Product Description	Size and Weight	1-9 pcs	10-99 pcs	100-499 pcs	500-999
1	Air Purifier HP-D-03		<b>Air Purifier</b> Negative ions:3x10 <sup>6</sup> pcs/cm <sup>3</sup> Active oxygen:20-40 mg/h Rated power:0.2W Voltage: 6V Built-in timer:2min ON, 10 min OFF cycle 4 AA Batteries With USB cable, available for car and home	Product size: 122 x 73 x 51 mm Unit case size: 105 x 60 x 220 mm N.W.: 0.79kg QTY/CTN: 25 pcs CTN Size: 61*41*30 CM CTN G.W.:7.8 KG	11.16	10.26	9.81	9.66
			<b>if to add on the power charger</b>		13.77	12.66	12.11	11.89
2	CPAP Cleaner HP-AP-01		<b>CPAP Cleaner</b> Specially for CPAP machine Disinfection Ozone output: ~20 mg/h Rated power:4W Running Voltage: 5V Built-in Lithium-ion Battery: Rechargeable With USB cable	Product size: 124*66*50mm Single Package size: 16*16*11 cm Gross weight: 0.4 kg/ unit	16.55	15.56	14.77	13.58
			<b>if to add on the power charger</b>		19.16	17.96	16.77	15.81
3	HEPA air purifier AA400		<b>HEPA+activated carbon air purifier</b> <b>Coverage area:40~45 m<sup>2</sup></b> 3 in 1 filter;3 fan speed filter replacement indicator night light: 2/4/8 timer: child lock Air flow volume:370m <sup>3</sup> /h; Voltage: 110V~130V, 220V~240V Power: 65W;	Dimension:L320*W185*H490mm Weight:4.3kg	80.00	/	57.50	55.00

# YOUMO AQUAPURE - PRODUCTS LIST WITH PRICING

2024/1/1

Price in USD (USD/RMB 6.95), Ex-work Shenzhen, China

Household Air & Water Purifier								
	Model Number	Product Pics	Product Description	Size and Weight	1-9 pcs	10-99 pcs	100-499 pcs	500-999
1	Air and Water Purifier WAP0.2-D		<b>Ozone Air and Water Purifier</b> Ozone Output: 300mg/h at 2.5L/min dry air (230mg/h at 2.8L/min ambient air with RH85%, 25°C) Air flow rate: 2.5-2.8L/min Voltage: 100-240V AC (12V DC to drive the product) Power: 12W Accessories: power adaptor, silicon hose, stone diffuser, instruction manual	With plastic housing Size: 223 x 163 x 55 mm N.W. : 0.79 kgs G.W. : 0.95 kgs QTY/CTN: 12pcs CTN size: 62*50*31 cm	36.08	32.17	29.99	27.82
Hydrogen Inhalation Machine , Hydrogen Water Bottle								
	Model Number	Product Pics	Product Description	Size and Weight	>1pc	>2pcs	>50pcs	>100pcs
1	Oxyhydrogen Generator YMH-C225		<b>Hydrogen Inhalation Machine</b> HHO 225ml/min Hydrogen : 150 mL oxygen: 75 ml water Tank: 1000 mL Power: 65W	With Plastic housing Size: 180 x 165 x 260 mm; Packaging: EPA + carton box N.W. : 2 kgs G.W. : 3.3 kgs	250	240	210	195
2	Oxyhydrogen Generator YMH-C450		<b>Hydrogen Inhalation Machine</b> HHO 450ml/min Hydrogen : 300 mL oxygen: 150 ml water Tank: 1000 mL Power: 140W	With Plastic housing Size: 180 x 165 x 260 mm; Packaging: EPA + carton box N.W. : 2.2 kgs G.W. : 3.5 kgs	430	380	350	320
3	Oxyhydrogen Generator YMH-B450		<b>Hydrogen Inhalation Machine</b> HHO 450ml/min Hydrogen : 300 mL oxygen: 150 ml water Tank: 1000 mL Power: 140W	With metal housing Size: 36 x 21 x 41 cm Packaging: EPA + carton box N.W. : 12 kgs G.W. : 13 kgs	510	490	470	450
4	Oxyhydrogen Generator YMH-B900		<b>Hydrogen Inhalation Machine</b> HHO 900ml/min Hydrogen : 600 mL oxygen: 300 ml water Tank: 2000 mL Power: 210W	With metal housing Size: 36 x 21 x 41 cm Packaging: EPA + carton box N.W. : 12.2 kgs G.W. : 13.2 kgs	660	600	535	530
5	Oxyhydrogen Generator YMH-B1500		<b>Hydrogen Inhalation Machine</b> HHO 1500ml/min Hydrogen : 1000 mL oxygen: 500 ml water Tank: 2000 mL Power: 330W	With metal housing Size: 36 x 21 x 41 cm Packaging: EPA + carton box N.W. : 12.6 kgs G.W. : 13.6 kgs	900	850	830	820
6	Oxyhydrogen Generator YMH-D450			<b>Hydrogen Inhalation Machine</b> HHO 450ml/min Hydrogen : 300 mL oxygen: 150 ml water Tank: 1000 mL Power: 140W	With metal housing Size: 36 x 21 x 41 cm Packaging: EPA + carton box N.W. : 12 kgs G.W. : 13 kgs	510	490	470
7	Oxyhydrogen Generator YMH-D900		<b>Hydrogen Inhalation Machine</b> HHO 900ml/min Hydrogen : 600 mL oxygen: 300 ml water Tank: 2000 mL Power: 210W	With metal housing Size: 36 x 21 x 41 cm Packaging: EPA + carton box N.W. : 12.2 kgs G.W. : 13.2 kgs	660	600	535	530
8	Oxyhydrogen Generator YMH-D1500		<b>Hydrogen Inhalation Machine</b> HHO 1500ml/min Hydrogen : 1000 mL oxygen: 500 ml water Tank: 2000 mL Power: 330W	With metal housing Size: 36 x 21 x 41 cm Packaging: EPA + carton box N.W. : 12.6 kgs G.W. : 13.6 kgs	900	850	830	820
9	Oxyhydrogen Generator YMH-A1800		<b>Hydrogen Inhalation Machine</b> HHO 1800ml/min Hydrogen : 1200 mL oxygen: 600 ml water Tank: 4700 mL Power: 400W	With metal housing Size: 36*36*52 cm Packaging: EPA + carton box N.W. : 22 kgs G.W. : 30 kgs	1200	1150	1100	1050
10	Oxyhydrogen Generator YMH-A3000		<b>Hydrogen Inhalation Machine</b> HHO 1500ml/min Hydrogen : 2000 mL oxygen: 1000 ml water Tank: 4700 mL Power: 600W	With metal housing Size: 36*36*52 cm Packaging: EPA + carton box N.W. : 23 kgs G.W. : 31 kgs	2000	1700	1650	1500
Ozone Analyzer / Ozone ORP /Oxygen Analyzer								
Pos.	Model Number	Product Pics	Product Description	Size and Weight	1-9 pcs	10-99 pcs	100-249 pcs	
1	Ozone Analyzer UV2100L		for measuring ozone concentration Specially designed for low flow oxygen source ozone machine (1/32 to 1 Lpm) ozone range 0-200mg/L Voltage input: 100-240V AC	Size: 155 x 78 x 240 mm	1620.00	on request	on request	
2	Ozone ORP Meter/PH Meter A5300-LY		Ozone ORP Meter/PH Meter for swimming pool / fish farm /sewage water purification -1000~+1000mV Input power: 230V AC 50/60Hz	Size: 98 x 105 x 150 mm	320.00	on request	on request	
3	Ozone Chromometer		ozone Chromometer for testing the ozone concentration in water measure range, 0-2.50mg/L with 2 gas tube		370.00	on request	on request	
4	Ozone Monitor		ozone gas monitor for testing the ozone concentration in air measure range, 0-5000 ppb (0-5ppm) alarm when over 3000ppb		720.00	on request	on request	
5	Ozone Monitor Model#: O3M05-01		Portable Ozone Gas Meter for testing the ozone concentration in air Measure Items: O3+Temperature+Humidity+AQI measure range: 0-5000 ppb (0-5ppm) Built-in rechargeable battery	164*76*26 MM weight: 480g with tool case	79.00	on request	on request	

YOUMO AQUAPURE

Addr: R506, Buiding #3, Jiuxiangling Industrial Park, Xili, Nanshan, Shenzhen, China, 518055  
 Tell: 0086-755-8655 0113


4/5

2018.01.01

# YOUMO AQUAPURE - PRODUCTS LIST WITH PRICING

2024/1/1

Price in USD (USD/RMB 6.95), Ex-work Shenzhen, China

6	Oxygen Analyzer		<b>OXYGEN ANALYZER</b> for testing the purity of oxygen also available to measure gas flow rate & gas pressure. measure range: 21% ~95.6% of oxygen, 0 ~ 9.9 Lpm flow, 0-100KPa pressure Ultrasonic type and hand-held design		150.00	on request	on request
<b>Pos.</b>	<b>Model Number</b>	<b>Product Pics</b>	<b>Product Description</b>	<b>Size and Weight</b>	<b>1-9 pcs</b>	<b>10-99 pcs</b>	<b>100-249 pcs</b>

## General Terms and conditions

<b>Delivery terms:</b>	if quantity is less than a container, above price is Ex-Work; for over a container, FOB Shenzhen, 3-6 weeks depending on quantity
<b>Payment terms:</b>	50% as deposit and balance to be paid before shipment if order amount is less than USD50,000
	50% as deposit and balance to be paid upon documents if order amount is more than USD50,000
<b>Quotation Valid Time:</b>	5 weeks from sending quotation
<b>Terms &amp; Conditions:</b>	YOUMO LTD / Aquapure CN Ltd.
<b>Definitions:</b>	
1	<b>OZ</b> Ozone
2	<b>QS</b> quartz tube and stainless steel electrode
3	<b>OC</b> Oxygen concentrator
4	<b>AP</b> Air Purifier
5	<b>WP</b> Water Purifier
6	<b>PG</b> Plasma Generator